

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name: THERMO FW120****UFI: 6520-W0HA-J00G-CJ58****1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture:** ETICS adhesive and base coat**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

INTERMIX-AE CEMENT TITAN

Address : 22A Chalkidos, Athens, 11143

Telephone : 210-259 1111

Fax : 210-259 1576

email : info@titan.gr

www.titan.gr

**1.4 Emergency telephone number:**

European Emergency Tel.: 112

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation EC No 1272/2008 CLP:**

GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

**2.2 Label elements****Labelling according to Regulation EC No 1272/2008 CLP:**

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

—EN—

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

Trade name: THERMO FW120

(Contd. of page 1)

**Hazard pictograms:**

GHS05 GHS07

**Signal word:** Danger**Hazard-determining components of labelling:**

Cement Portland

**Hazard statements:**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

**Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P310 Immediately call a POISON CENTER/doctor.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Information concerning particular hazards for human and environment:**

Skin contact with wet cement, fresh concrete or mortar may cause irritation, dermatitis or burns

May cause damage to products made of aluminium or other non-noble metals.

**2.3 Other hazards****Results of PBT and vPvB assessment**

The product does not contain ingredients that are considered either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**PBT:** Not applicable.**vPvB:** Not applicable.**Determination of endocrine-disrupting properties**

The product does not contain substances included in the list established in accordance with Article 59(1) of REACH for endocrine disrupting properties or has not been identified as having endocrine disrupting properties according to the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or higher than 0.1%.

EN

(Contd. on page 3)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

Trade name: THERMO FW120

(Contd. of page 2)

**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Description:** Mixture: consisting of the following components.**Ingredients according Regulation (EU) 2020/878:**

CAS: 65997-15-1 EINECS: 266-043-4	Cement Portland ☞ Eye Dam. 1, H318; ☠ Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335 substance with a Community workplace exposure limit	>20-≤40%
CAS: 1305-62-0 EINECS: 215-137-3 Reg.nr.: 01-2119475151-45-XXXX	calcium dihydroxide ☞ Eye Dam. 1, H318; ☠ Skin Irrit. 2, H315; STOT SE 3, H335 substance with a Community workplace exposure limit	≤1%

**SVHC**

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No 1907/2006 (REACH), Article 59)

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:**

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

**After inhalation:**

Supply fresh air and to be sure call for a doctor.

If breathing is difficult, remove to fresh air. Restore breathing. Keep warm and quiet.

In case of unconsciousness place patient stably in side position for transportation.

**After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Remove contaminated clothing.

If skin irritation continues, consult a doctor.

**After eye contact:**

Avoid strong water jet-risk of cornea damage, consult a doctor.

Immediately rinse the eyes with plenty of water, alternately lifting the upper and lower eyelids.

Check and remove contact lenses if any.

Continue to rinse for 15 minutes.

Seek medical attention if irritation occurs.

**After swallowing:**

Immediately rinse the mouth with water.

Do not induce vomiting unless directed to do so by medical personnel.

Consult the doctor immediately and show the label or this Safety Data Sheet.

Never give anything by mouth to an unconscious person.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

(Contd. on page 4)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

**Trade name: THERMO FW120**

(Contd. of page 3)

**Hazards** May cause an allergic skin reaction.**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing agents:**CO<sub>2</sub>, powder or water spray.

Use fire extinguishing methods suitable to surrounding conditions.

Foam

Sand or soil

**For safety reasons unsuitable extinguishing agents:** Water jet**5.2 Special hazards arising from the substance or mixture**

In case of fire, dangerous vapours may be released.

Do not inhale combustion products.

**5.3 Advice for firefighters****Protective equipment:**

Self-contained breathing apparatus and protective clothing in case of fire.

Wear eye protection.

**Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Keep unprotected persons away.

Wear protective clothing.

Avoid the contact with spilled material.

Avoid contact with skin and eyes.

Wash hands thoroughly after handling

Contain the leak at its source, if this can be done safely.

**6.1.1 For non-emergency personnel**

Avoid contact with dripping or leaking material

Use personal protective equipment.

**6.1.2 For emergency responders**

Wear protective equipment. Keep unprotected persons away.

First-aid responders must wear protective clothing, gloves, goggles and respiratory device with filter type A.

**6.2 Environmental precautions:**

Prevent the product from entering sewers, rivers or the aquatic environment.

Do not allow to enter sewers/ surface or ground water.

**6.3 Methods and material for containment and cleaning up:**

Dispose contaminated material as waste according to section 13.

Send for recovery or disposal in suitable receptacles.

**6.4 Reference to other sections:**

See Section 7 for information on safe handling.

(Contd. on page 5)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

**Trade name: THERMO FW120**

(Contd. of page 4)

 See Section 8 for information on personal protection equipment.  
 See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Thorough dedusting.  
 Open and handle receptacle with care.  
 Prevent formation of dust.  
 Avoid contact with skin, eyes and clothing.  
 Wash your hands thoroughly after handling.  
 Away from food, drinks and animal feed.  
 Do not eat, drink or smoke when using this product.

#### Information about fire - and explosion protection:

Keep away from heat, sparks, open flames and hot surfaces.

#### 7.2 Conditions for safe storage, including any incompatibilities

**Storage:** Store in tightly closed containers, in a cool and dry place with good ventilation.

**Requirements to be met by storerooms and receptacles:** Store in a cool and dry place.

**Information about storage in one common storage facility:** Store away from food, drink and animal feed.

#### Further information about storage conditions:

Keep container tightly sealed.  
 Store under lock and key and out of the reach of children.

#### 7.3 Specific end use(s)

 No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

##### CAS: 65997-15-1 Cement Portland

WEL (Great Britain)	Long-term value: 10* 4** mg/m <sup>3</sup> *inhalable dust **respirable dust
---------------------	---------------------------------------------------------------------------------

##### CAS: 1317-65-3 Limestone (calcium carbonate)

WEL (Great Britain)	Long-term value: 10* 4** mg/m <sup>3</sup> *inhalable dust; **respirable
---------------------	-----------------------------------------------------------------------------

##### CAS: 1305-62-0 calcium dihydroxide

IOELV (EU)	Short-term value: 4 mg/m <sup>3</sup> Long-term value: 1 mg/m <sup>3</sup> Respirable fraction
WEL (Great Britain)	Short-term value: 4* mg/m <sup>3</sup> Long-term value: 5 1* mg/m <sup>3</sup> *resprable fraction

#### DNELs

Calcium dihydroxide cas: 1305-62-0

 Workers, Inhalation, Acute local effects: 4 mg/m<sup>3</sup> (inhalable dust)

 Workers, Inhalation, Chronic local effects: 1 mg/m<sup>3</sup> (inhalable dust)

(Contd. on page 6)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

**Trade name: THERMO FW120**

(Contd. of page 5)

Consumers, Inhalation, Acute local effects: 4 mg/m<sup>3</sup> (inhalable dust)  
Consumers, Inhalation, Chronic local effects: 1 mg/m<sup>3</sup> (inhalable dust)

**PNECs**

Calcium dihydroxide cas number: 1305-62-0

Sweet water: 0.49 mg/l

Seawater: 0.32 mg/l

STP: 3 mg/l

Soil: 1080 mg/kg

**8.2 Exposure controls****8.2.1. Appropriate engineering controls** Provide adequate ventilation.**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

**Respiratory protection:**

In conditions of inadequate ventilation, use an appropriate respirator.

**Hand protection**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions.

Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

(Contd. on page 7)

**Safety data sheet**  
 complying with Regulation 1907/2006/EC (REACH Regulation),  
 EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

Trade name: THERMO FW120

(Contd. of page 6)

**Eye/face protection**


Tightly sealed goggles (EN 166).

**Body protection:**


Protective work clothing

**SECTION 9: Physical and chemical properties**
**9.1 Information on basic physical and chemical properties**
**General Information**

<b>Physical state</b>	Solid
<b>Colour:</b>	White
<b>Odour:</b>	Not determined
<b>Odour threshold:</b>	Not determined
<b>Melting point/freezing point:</b>	Not determined
<b>Boiling point or initial boiling point and boiling range</b>	Not specified
<b>Flammability</b>	Not determined
<b>Lower and upper explosion limit</b>	
<b>Lower:</b>	Not determined
<b>Upper:</b>	Not determined
<b>Flash point:</b>	Not specified
<b>Auto-ignition temperature:</b>	Not specified
<b>Decomposition temperature:</b>	Not determined
<b>pH</b>	<11.5
<b>Viscosity:</b>	
<b>Kinematic viscosity</b>	Not applicable
<b>Dynamic:</b>	Not applicable
<b>Solubility</b>	
<b>water:</b>	Fully miscible
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined
<b>Vapour pressure:</b>	Not applicable
<b>Density and/or relative density</b>	
<b>Density:</b>	Not determined
<b>Relative density</b>	Not determined
<b>Vapour density</b>	Not applicable
<b>Particle characteristics</b>	See section 3.

(Contd. on page 8)

**Safety data sheet**  
 complying with Regulation 1907/2006/EC (REACH Regulation),  
 EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

Trade name: THERMO FW120

(Contd. of page 7)

**9.2 Other information**
**Appearance:**
**Form:** Powder

**Important information on protection of health and environment, and on safety.**
**Ignition temperature:** Product is not selfigniting.

**Explosive properties:** Product does not present an explosion hazard.

**Change in condition** Not applicable

**Fusion temperature / range:** Not applicable

**Oxidising properties** Not oxidising

**Evaporation rate** Not applicable

**Information with regard to physical hazard classes**

<b>Explosives</b>	Void
<b>Flammable gases</b>	Void
<b>Aerosols</b>	Void
<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void
<b>Flammable liquids</b>	Void
<b>Flammable solids</b>	Void
<b>Self-reactive substances and mixtures</b>	Void
<b>Pyrophoric liquids</b>	Void
<b>Pyrophoric solids</b>	Void
<b>Self-heating substances and mixtures</b>	Void
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
<b>Oxidising liquids</b>	Void
<b>Oxidising solids</b>	Void
<b>Organic peroxides</b>	Void
<b>Corrosive to metals</b>	Void
<b>Desensitised explosives</b>	Void

**SECTION 10: Stability and reactivity**
**10.1 Reactivity** Stable under normal conditions

**10.2 Chemical stability** Material is stable under normal conditions.

**Thermal decomposition / conditions to be avoided** Stable at environment temperature.

**10.3 Possibility of hazardous reactions** No dangerous reactions known.

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials** No further relevant information available.

**10.6 Hazardous decomposition products** No dangerous decomposition products known.

EN

(Contd. on page 9)



**Safety data sheet**  
 complying with Regulation 1907/2006/EC (REACH Regulation),  
 EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

Trade name: THERMO FW120

(Contd. of page 8)

**SECTION 11: Toxicological information**
**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
**Acute toxicity**

Based on available data, the classification criteria are not met.

**CAS: 1305-62-0 calcium dihydroxide**

Oral	LD50	> 2000 mg/kg bw (rat) (OECD 425)
Dermal	LD50	> 2500 mg/kg bw (rabbit) (OECD 402)

**Specific symptoms in biological assay:**
**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/irritation** Causes serious eye damage.

**Respiratory or skin sensitisation** May cause an allergic skin reaction.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure**

The product is classified as Specific Target Organ Toxicity after single exposure Category 3

May cause respiratory irritation.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**Additional toxicological information:**
**Repeated dose toxicity** Based on available data, the classification criteria are not met.

**11.2 Information on other hazards**
**Endocrine disrupting properties**

The product does not contain substances included in the list established in accordance with Article 59(1) of REACH for endocrine disrupting properties or has not been identified as having endocrine disrupting properties according to the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or higher than 0.1%.

None of the ingredients is listed.

**SECTION 12: Ecological information**
**12.1 Toxicity**
**Aquatic toxicity:**
**CAS: 1305-62-0 calcium dihydroxide**

EC50 (72h) (static)	184.57 mg/l (algae) (Freshwater Alga and Cyanobacteria, Grow Inhibition)
EC50 (48h) (static)	49.4 mg/l (daphnia magna) (Daphnia sp. Acute Immobilisation Test)
LC50 (96h)	158 mg/l
	50.6 mg/l (Oncorhynchus mykiss) (Fish, Acute Toxicity Test)
	457 mg/l (fish)
NOEC r (72h)	48 mg/l (algae)

**12.2 Persistence and degradability** No further relevant information available.

(Contd. on page 10)

**Safety data sheet**  
 complying with Regulation 1907/2006/EC (REACH Regulation),  
 EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

Trade name: THERMO FW120

(Contd. of page 9)

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

The product does not contain ingredients that are considered to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative at levels of 0.1% or higher according to REACH, Annex XIII.

**PBT:** Not applicable.

**vPvB:** Not applicable.

**12.6 Endocrine disrupting properties**

For information on endocrine disruption properties, see sections 2.3 & 11.2.

**12.7 Other adverse effects**

**Additional ecological information:**

**General notes:** Must not reach sewage water or drainage ditch undiluted or unneutralised.


### SECTION 13: Disposal considerations

**13.1 Waste treatment methods**

**Recommendation**



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

**European waste catalogue**

HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP13	Sensitising

**Uncleaned packaging:**

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

<b>14.1 UN number or ID number</b>	Unenforceable. Not classified as dangerous for transport.
<b>ADR, IMDG, IATA</b>	Void
<b>14.2 UN proper shipping name</b>	
<b>ADR, IMDG, IATA</b>	Void

(Contd. on page 11)

**Safety data sheet**  
 complying with Regulation 1907/2006/EC (REACH Regulation),  
 EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

Trade name: THERMO FW120

(Contd. of page 10)

<b>14.3 Transport hazard class(es)</b>	
<b>ADR, ADN, IMDG, IATA Class</b>	Void
<b>14.4 Packing group ADR, IMDG, IATA</b>	Void
<b>14.5 Environmental hazards:</b>	Not applicable.
<b>14.6 Special precautions for user</b>	Not applicable.
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
<b>UN "Model Regulation":</b>	Void

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The product contains less than 2 ppm ( 0,0002 w/w ) Cr (VI) according to Annex XVII of REACH Regulation. REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as amended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as amended

#### Directive 2012/18/EU

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 47

#### **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

#### **REGULATION (EU) 2019/1148**

#### **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

#### **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

(Contd. on page 12)

**Safety data sheet**  
 complying with Regulation 1907/2006/EC (REACH Regulation),  
 EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

**Trade name: THERMO FW120**

(Contd. of page 11)

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**National regulations:** None

**Other regulations, limitations and prohibitive regulations**
**Substances of very high concern (SVHC) according to REACH, Article 57**

It doesn't contain substances of very high concern (SVHC).

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.


**Training hints**

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

**Classification according to Regulation (EC) No 1272/2008**

Skin corrosion/irritation Serious eye damage/irritation Skin sensitisation Specific target organ toxicity (single exposure)	Calculation method
--------------------------------------------------------------------------------------------------------------------------------------	--------------------

**Department issuing SDS:**


**SUSTCHEM S.A.**  
 REACH & Chemical Services Department  
 A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece  
 T: +30 210 8252510 | F: +30 210 8252575  
 W: www.sustchem.gr | E: info@suschem.gr

**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 13)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

**Trade name: THERMO FW120**

(Contd. of page 12)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

— EN —