

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name: THERMO G120
UFI: E030-Y0E9-M00E-YXYW

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture: ETICS adhesive and base coat**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

INTERMIX-AE CEMENT TITAN
Address : 22A Chalkidos, Athens, 11143
Telephone : 210-259 1111
Fax : 210-259 1576
email : info@titan.gr
www.titan.gr

1.4 Emergency telephone number:

European Emergency Tel.: 112

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to Regulation EC No 1272/2008 CLP:**

GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements**Labelling according to Regulation EC No 1272/2008 CLP:**

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

—EN—

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

Trade name: THERMO G120

(Contd. of page 1)

Hazard pictograms:

GHS05 GHS07

Signal word: Danger**Hazard-determining components of labelling:**

Cement Portland

Hazard statements:

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P310 Immediately call a POISON CENTER/doctor.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Information concerning particular hazards for human and environment:

Skin contact with wet cement, fresh concrete or mortar may cause irritation, dermatitis or burns

May cause damage to products made of aluminium or other non-noble metals.

2.3 Other hazards**Results of PBT and vPvB assessment**

The product does not contain ingredients that are considered either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

PBT: Not applicable.**vPvB:** Not applicable.**Determination of endocrine-disrupting properties**

The product does not contain substances included in the list established in accordance with Article 59(1) of REACH for endocrine disrupting properties or has not been identified as having endocrine disrupting properties according to the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or higher than 0.1%.

EN

(Contd. on page 3)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 14.10.2024

Version number 1





Revision: 14.10.2024

Trade name: THERMO G120

(Contd. of page 2)

SECTION 3: Composition/information on ingredients
3.2 Mixtures
Description: Mixture: consisting of the following components.

Ingredients according Regulation (EU) 2020/878:

CAS: 65997-15-1 EINECS: 266-043-4	Cement Portland  Eye Dam. 1, H318;  Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335 substance with a Community workplace exposure limit	>20-≤40%
CAS: 1305-62-0 EINECS: 215-137-3 Reg.nr.: 01-2119475151-45-XXXX	calcium dihydroxide  Eye Dam. 1, H318;  Skin Irrit. 2, H315; STOT SE 3, H335 substance with a Community workplace exposure limit	≤1%

SVHC

This product does not contain candidate substances of very high concern at a concentration ≥0.1% (Regulation (EC) No 1907/2006 (REACH), Article 59)

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures
4.1 Description of first aid measures
General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

After inhalation:

Supply fresh air and to be sure call for a doctor.

If breathing is difficult, remove to fresh air. Restore breathing. Keep warm and quiet.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Remove contaminated clothing.

If skin irritation continues, consult a doctor.

After eye contact:

Avoid strong water jet-risk of cornea damage, consult a doctor.

Immediately rinse the eyes with plenty of water, alternately lifting the upper and lower eyelids.

Check and remove contact lenses if any.

Continue to rinse for 15 minutes.

Seek medical attention if irritation occurs.

After swallowing:

Immediately rinse the mouth with water.

Do not induce vomiting unless directed to do so by medical personnel.

Consult the doctor immediately and show the label or this Safety Data Sheet.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 4)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

Trade name: THERMO G120

(Contd. of page 3)

Hazards May cause an allergic skin reaction.**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing agents:**CO₂, powder or water spray.

Use fire extinguishing methods suitable to surrounding conditions.

Foam

Sand or soil

For safety reasons unsuitable extinguishing agents: Water jet**5.2 Special hazards arising from the substance or mixture**

In case of fire, dangerous vapours may be released.

Do not inhale combustion products.

5.3 Advice for firefighters**Protective equipment:**

Self-contained breathing apparatus and protective clothing in case of fire.

Wear eye protection.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Keep unprotected persons away.

Wear protective clothing.

Avoid the contact with spilled material.

Avoid contact with skin and eyes.

Wash hands thoroughly after handling

Contain the leak at its source, if this can be done safely.

6.1.1 For non-emergency personnel

Avoid contact with dripping or leaking material

Use personal protective equipment.

6.1.2 For emergency responders

Wear protective equipment. Keep unprotected persons away.

First-aid responders must wear protective clothing, gloves, goggles and respiratory device with filter type A.

6.2 Environmental precautions:

Prevent the product from entering sewers, rivers or the aquatic environment.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

(Contd. on page 5)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

Trade name: THERMO G120

(Contd. of page 4)

See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Thorough dedusting.
 Open and handle receptacle with care.
 Prevent formation of dust.
 Avoid contact with skin, eyes and clothing.
 Wash your hands thoroughly after handling.
 Away from food, drinks and animal feed.
 Do not eat, drink or smoke when using this product.

Information about fire - and explosion protection:

Keep away from heat, sparks, open flames and hot surfaces.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Store in tightly closed containers, in a cool and dry place with good ventilation.

Requirements to be met by storerooms and receptacles: Store in a cool and dry place.

Information about storage in one common storage facility: Store away from food, drink and animal feed.

Further information about storage conditions:

Keep container tightly sealed.
 Store under lock and key and out of the reach of children.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****CAS: 1317-65-3 Limestone (calcium carbonate)**

WEL (Great Britain)	Long-term value: 10* 4** mg/m ³ *inhalable dust; **respirable
---------------------	---

CAS: 65997-15-1 Cement Portland

WEL (Great Britain)	Long-term value: 10* 4** mg/m ³ *inhalable dust **respirable dust
---------------------	---

CAS: 1305-62-0 calcium dihydroxide

IOELV (EU)	Short-term value: 4 mg/m ³ Long-term value: 1 mg/m ³ Respirable fraction
WEL (Great Britain)	Short-term value: 4* mg/m ³ Long-term value: 5 1* mg/m ³ *resprable fraction

DNELs

Calcium dihydroxide cas: 1305-62-0

Workers, Inhalation, Acute local effects: 4 mg/m³ (inhalable dust)

Workers, Inhalation, Chronic local effects: 1 mg/m³ (inhalable dust)

(Contd. on page 6)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

Trade name: THERMO G120

(Contd. of page 5)

Consumers, Inhalation, Acute local effects: 4 mg/m³ (inhalable dust)
Consumers, Inhalation, Chronic local effects: 1 mg/m³ (inhalable dust)

PNECs

Calcium dihydroxide cas number: 1305-62-0

Sweet water: 0.49 mg/l

Seawater: 0.32 mg/l

STP: 3 mg/l

Soil: 1080 mg/kg

8.2 Exposure controls**8.2.1. Appropriate engineering controls** Provide adequate ventilation.**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Respiratory protection:

In conditions of inadequate ventilation, use an appropriate respirator.

Hand protection

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions.

Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

(Contd. on page 7)

Safety data sheet
 complying with Regulation 1907/2006/EC (REACH Regulation),
 EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

Trade name: THERMO G120

(Contd. of page 6)

Eye/face protection


Tightly sealed goggles (EN 166).

Body protection:


Protective work clothing

SECTION 9: Physical and chemical properties
9.1 Information on basic physical and chemical properties
General Information

Physical state	Solid
Colour:	Grey
Odour:	Not determined
Odour threshold:	Not determined
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and boiling range	Not specified
Flammability	Not determined
Lower and upper explosion limit	
Lower:	Not determined
Upper:	Not determined
Flash point:	Not specified
Auto-ignition temperature:	Not specified
Decomposition temperature:	Not determined
pH	<11.5
Viscosity:	
Kinematic viscosity	Not applicable
Dynamic:	Not applicable
Solubility	
water:	Fully miscible
Partition coefficient n-octanol/water (log value)	Not determined
Vapour pressure:	Not applicable
Density and/or relative density	
Density:	Not determined
Relative density	Not determined
Vapour density	Not applicable
Particle characteristics	See section 3.

(Contd. on page 8)

Safety data sheet
 complying with Regulation 1907/2006/EC (REACH Regulation),
 EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

Trade name: THERMO G120

(Contd. of page 7)

9.2 Other information
Appearance:
Form: Powder

Important information on protection of health and environment, and on safety.
Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Change in condition Not applicable

Fusion temperature / range: Not applicable

Oxidising properties Not oxidising

Evaporation rate Not applicable

Information with regard to physical hazard classes
Explosives Void

Flammable gases Void

Aerosols Void

Oxidising gases Void

Gases under pressure Void

Flammable liquids Void

Flammable solids Void

Self-reactive substances and mixtures Void

Pyrophoric liquids Void

Pyrophoric solids Void

Self-heating substances and mixtures Void

Substances and mixtures, which emit flammable gases in contact with water Void

Oxidising liquids Void

Oxidising solids Void

Organic peroxides Void

Corrosive to metals Void

Desensitised explosives Void

SECTION 10: Stability and reactivity
10.1 Reactivity Stable under normal conditions

10.2 Chemical stability Material is stable under normal conditions.

Thermal decomposition / conditions to be avoided Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials No further relevant information available.

10.6 Hazardous decomposition products No dangerous decomposition products known.

EN

(Contd. on page 9)

Safety data sheet
 complying with Regulation 1907/2006/EC (REACH Regulation),
 EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

Trade name: THERMO G120

(Contd. of page 8)

SECTION 11: Toxicological information
11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:
CAS: 1305-62-0 calcium dihydroxide

Oral	LD50	>2,000 mg/kg (rat) (Acute Oral Toxicity: Up-and-Down Procedure)
------	------	---

Dermal	LD50	>2,500 mg/kg (rabbit) (Acute Dermal Toxicity)
--------	------	---

Specific symptoms in biological assay:
Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

The product is classified as Specific Target Organ Toxicity after single exposure Category 3

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:
Repeated dose toxicity Based on available data, the classification criteria are not met.

11.2 Information on other hazards
Endocrine disrupting properties

The product does not contain substances included in the list established in accordance with Article 59(1) of REACH for endocrine disrupting properties or has not been identified as having endocrine disrupting properties according to the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or higher than 0.1%.

None of the ingredients is listed.

SECTION 12: Ecological information
12.1 Toxicity
Aquatic toxicity:
CAS: 1305-62-0 calcium dihydroxide

EC50 (72h) (static)	184.57 mg/l (algae) (Freshwater Alga and Cyanobacteria, Grow Inhibition)
---------------------	--

EC50 (48h) (static)	49.4 mg/l (daphnia magna) (Daphnia sp. Acute Immobilisation Test)
---------------------	---

LC50 (96h)	158 mg/l
------------	----------

	50.6 mg/l (Oncorhynchus mykiss) (Fish, Acute Toxicity Test)
--	---

	457 mg/l (fish)
--	-----------------

NOEC r (72h)	48 mg/l (algae)
--------------	-----------------

12.2 Persistence and degradability No further relevant information available.

(Contd. on page 10)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

Trade name: THERMO G120

(Contd. of page 9)

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

The product does not contain ingredients that are considered to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative at levels of 0.1% or higher according to REACH, Annex XIII.

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

For information on endocrine disruption properties, see sections 2.3 & 11.2.

12.7 Other adverse effects
Additional ecological information:
General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations
13.1 Waste treatment methods
Recommendation


Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

European waste catalogue

HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP13	Sensitising

Uncleaned packaging:
Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN number or ID number	Unenforceable. Not classified as dangerous for transport.
ADR, IMDG, IATA	Void
14.2 UN proper shipping name	
ADR, IMDG, IATA	Void

(Contd. on page 11)

Safety data sheet
 complying with Regulation 1907/2006/EC (REACH Regulation),
 EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

Trade name: THERMO G120

(Contd. of page 10)

14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The product contains less than 2 ppm (0,0002 w/w) Cr (VI) according to Annex XVII of REACH Regulation. REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as amended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as amended

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 47

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 12)

Safety data sheet
 complying with Regulation 1907/2006/EC (REACH Regulation),
 EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

Trade name: THERMO G120

(Contd. of page 11)

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations: None

Other regulations, limitations and prohibitive regulations
Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation

Serious eye damage/irritation

Skin sensitisation

Specific target organ toxicity (single exposure)

Calculation method

Department issuing SDS:


SUSTCHEM S.A.

REACH & Chemical Services Department

A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece

T: +30 210 8252510 | F: +30 210 8252575

W: www.sustchem.gr | E: info@suschem.gr

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 13)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 14.10.2024

Version number 1

Revision: 14.10.2024

Trade name: THERMO G120

(Contd. of page 12)

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

—EN—